



Oral-, jaw and face surgery

Specialist in Oral an Maxillofacial Surgery, Plastic Surgery
Main area of expertise Implantology

The tooth removal:

Dear Patient _____,

it was found that the _____ must be removed due to various reasons such as a lack of space in the jaw, inflammation of the bone or gums, damage from cavities, risk of damage to the adjacent teeth, cysts with risks of lower jaw fractures, or pain caused by teeth.

How? – Under local anesthesia your tooth/teeth will be located and removed. With shifted teeth, the gum will need to be opened. After the tooth removal, the wound will be sealed with stitches. The stitches should be removed in most cases after one week.


What possible complications can occur?

After every operation there will be possibility of swelling, pain, bleeding, healing infections and inflammation. Please read the instructions for the aftercare of your surgery.

In very rare cases the following complications can occur:

- Damage to the neighboring teeth, fillings or crowns.
- Damage to the underlying teeth nerves, tongue nerves, and a consequential loss of sensation in the bottom lip, tongue, or taste buds may occur. This may also occur if an injection punctures a nerve.
- Nose bleeding or possible inflammation after the opening of the maxillary sinus.
- Fracture of the lower jaw in the weeks following the operation in the form of fatigue fracture.
- Damage to the gums, tongue, cheek or lip due to surgical instruments.
- Accidental swallowing or inhalation of surgical instruments or teeth particles during the operation.
-

To minimise risk, before the operation please disclose all of your relevant patient history, allergies, illnesses and current medication. Please take note and observe the instructions for the aftercare of your surgery. It is especially important to refrain from smoking 7 – 10 days after oral surgery. You should take care of the wound and keep it cool.



It is illegal to operate a vehicle or heavy machinery after the use of anesthetics!

Consent:

The operation procedures were clearly explained to me and all of my corresponding questions were answered. I have no further questions about tooth removal. With this signature I agree to the procedure and the aftercare required at home.

Against the potential swelling after the operation we offer a single cortison injection as swelling prophylaxis

- I wish the swelling prophylaxis
- I do not wish the swelling prophylaxis

.....
Berlin, date

.....
sign

.....
surgeon